



ONE STEP™ ROD CUTTER

PICKETT EQUIPMENT



Pickett Equipment

976 East Main Street * Phone: 208-678-0855 * www.pickettequipment.com
Burley, Idaho 83318 * Fax: 208-678-1404 * pickett@pmt.org

This page was
left blank
intentionally

ONE STEP ROD CUTTER (Rear Pull Unit)

CONTENTS

Chain Case **Section 1**

Model Years 1988–1990 (PTO Drive Chain Case)	2
Model Year 1991 (PTO Drive Chain Case)	4
Model Years 1992–1994 (PTO Drive Chain Case)	6
Model Years 1995–Present (PTO Drive Chain Case)	8
Model Years 1995–Present (Hydraulic Drive Chain Case)	10

Shank Layouts **Section 2**

Model Years 1988–1990	2
Model Year 1991	6
Model Years 1992–1993	10
Model Year 1994	12
Model Year 1995	30
Model Year 1996–Present	50
Model Years 1997–Present (8 row 22)	80
Model Years 2005–Present (12 row 30) Standard Shanks	84
Model Years 2005–Present (12 row 30) Standard & Belly Shanks	86
Two 1 1/4" Cutter Rods (8 row 30) Standard & Belly Shanks	88
Two 1 1/4" Cutter Rods (12 row 22) Standard & Belly Shanks	90

Three Point Hitch & Guy Rods **Section 3**

Model Years 1991–1993	2
Model Years 1994–Present	4
Three Point Hitch / Guy Rod Extension Mount	6

Main Frame **Section 4**

Model Years 1988–1990	2
Model Year 1991	6
Model Year 1992	10
Model Year 1993	12
Model Years 1994–Present	14
Model Years 2005–Present (12 row 30) Offset "Y" Main Frame & Underneath Gauge Wheel	16
Model Years 2005–Present (12 row 30) Center "Y" Main Frame & Center Rear Gauge Wheel	18

Gauge Wheels **Section 5**

Rear Gauge Wheels–Model Years 1988–1991	2
Rear Gauge Wheels–Model Year 1992	4
Rear Gauge Wheels–Model Years 1993–Present	6
Front Gauge Wheels–Model Years 1997–Present	8
Front Tire Divider–Model Years 1992–Present	10
Rear Gauge Wheels–Model 12 Row 30	12

Pickup Head Gear System (RH End View) **Section 6**

Model Years 1988–1998	2
Model Years 1998–1999 (1" PUH Bearings)	6

Model Years 1998–Present (1¼" PUH Bearing)	10
--	----

Pickup Head Gear System (LH End View) Section 7

Model Years 1988–1998	2
Model Years 1998–1999 (1" PUH Bearings)	4
Model Years 1998–Present (1¼" PUH Bearings).....	8

Pickup Head Layouts Section 8

Model Years 1988–1990.....	2
Model Years 1991–1993.....	6
Model Years 1994–1995.....	8
Model Year 1996.....	26
Model Years 1997–Present (4-tube).....	42
Model Years 1997–Present (8-tube).....	58
Model Years 2005–Present (Offset "Y") L.H. Pickup Head (12 row 30) 202 ³ / ₁₆ " lg.....	82
Model Years 2005–Present (Offset "Y") R.H. Pickup Head (12 row 30) 140 ³ / ₁₆ " lg.....	84
Model Years 2005–Present (Center "Y") L.H. Pickup Head (12 row 30) 172 ³ / ₁₆ " lg	86
Model Years 2005–Present (Center "Y") R.H. Pickup Head (12 row 30) 170 ³ / ₁₆ " lg.....	88

Semi-End Dump Trays Section 9

Model Years 1988–1990.....	2
Model Years 1991–1992.....	4
Model Years 1993–1994.....	6
Model Years 1995–Present	14
Model Years 2005–Present (42" wide x 108" long Tray) 12 row 30	24
Model Years 2005–Present (32" wide x 178" long Tray) 12 row 30	26

Center Dump Trays Section 10

Model Years 1988–1990.....	2
Model Years 1991–1992.....	4
Model Years 1993–1994.....	6
Model Years 1995–Present	16
Model Years 2005–Present (118" Trays) 12 row 30.....	26
Model Years 2005–Present (Offset Center Dump 148" & 88" Trays) 12 row 30.....	28
Model Years 2005–Present Offset Center Dump 14" Tray.....	30
Center Dump Windrowing Rods 1991–Present.....	32

Optional Trays Section 11

Semi-End Reversible/Transversing 1995–Present.....	2
Center Semi-End Dump 1995–Present	6
Full End Dump 1995–Present.....	18

Cutter Rods & Kicker Rods Section 12

Model Years 1988–1990.....	2
Model Year 1991.....	6
Model Years 1992–1993.....	10
Model Years 1994–1995 (Standard Shank Layout) (Inside Chain Case)	12
Model Years 1994–1995 (C-Shank Layout) (Inside Chain Case)	16
Model Years 1994–(C-Shank Layout) (Outside Chain Case).....	18

Model Years 1996–Present (Standard Shank Layout) (Inside Chain Case)	20
Model Years 1996–Present (C-Shank Layout) (Inside Chain Case)	24
Model Years 1996–Present (C-Shank Layout) (Outside Chain Case)	26
Optional C-Shank Layout w/belly shanks (8-22 & 8-30)	28
Optional C-Shank Layout w/belly shanks (8-30 & 12-22)	29
Model Years 2005–Present (12 row 30) Straight Shanks	30
Model Years 2005–Present (12 row 30) Straight & Belly Shanks	32
Model Years 2005–Present (12 row 30) C-Shanks	34
Two 1 1/4" Cutter Rods (8 row 30) Standard & Belly Shanks	36
Two 1 1/4" Cutter Rods (12 row 22) Standard & Belly Shanks	38

Drivelines

Section 13

Model Years 1988–1991 (Secondary Driveline) (1" Solid Shaft)	2
Model Years 1988–1992 (Primary Driveline) (G&G)	6
Model Year 1992 (Secondary Driveline) (G&G)	12
Model Year 1993 (Primary Driveline) (Walterscheid)	14
Model Year 1993 (Secondary Driveline) (Walterscheid)	20
Model Years 1994–Present (Primary Driveline) (Walterscheid)	22
Model Years 1994–Present (Secondary Driveline) (Walterscheid)	28

PTO Gear Boxes

Section 14

Model Years 1991–1993	2
Model Years 1994–Present	6

Hydraulic Systems

Section 15

Model Year 1992	2
Model Year 1993	6
Model Year 1994	12
Model Years 1995–Present (PTO Drive Chain Case)	14
Model Years 1995–Present (Hydraulic Drive Chain Case)	26
Front Gauge Wheel Adjustment (Hydraulic Option) (6-30 & 8-22)	40
Front Gauge Wheel Adjustment (Hydraulic Option) (8-30)	42
Front Gauge Wheel Adjustment (Hydraulic Option) (6-30 & 8-22) (rear pull, w/valve on 3point hitch)	44
Front Gauge Wheel Adjustment (Hydraulic Option) (8-30) (rear pull, w/valve on 3 point hitch)	46
6-30 or 8-22 (Standard Shanks - Chain Case behind R.R. or L.R. Tractor Tire - 58" Center Semi End Dump)	48
8-30 (Standard Shanks - Chain Case behind R.R. or L.R. Tractor Tire - 88" Center Semi End Dump)	50
12-22 (Standard Shanks - Chain Case behind L.R. Tractor Tire - 88" Center Semi End Dump – 76" & 118" Offset Center Semi End Dump)	52
12-22 (Standard Shanks - 178" S.E. Dump – 88" Center Dump - 118" & 76" Offset C.S.E. Dump - 178" & 14" Offset C.S.E. Dump)	54
12-30 (Standard Shanks - Chain Case 60" or 90" from L.H. End - 178" / 108" S.E. Dump – 118" Center Dump – 148" & 88" Offset Center Dump)	56
Front Gauge Wheel Adjustment (Hydraulic Option) (12-30) Rear Pull (with P.O. Check Valves)	58
Front Gauge Wheel Adjustment (Hydraulic Option) (12-30) Rear Pull	60
Front Gauge Wheel Adjustment (Hydraulic Option) (6-30, 8-22 or 12-22) Rear Pull (with P.O. Check Valves)	62
Front Gauge Wheel Adjustment (Hydraulic Option) (8-30) Rear Pull (with P.O. Check Valves)	64

Cushion Shank Chain Case 1992–1995..... 2
Cushion Shank Chain Case 1996..... 4
Cushion Shank Chain Case 1997–Present 6
C-Shank Parts Breakdown 1992–Present 8
Cutter & Kicker Rod Layouts 1992–1993 10
Cutter & Kicker Rod Layouts 1994–1995 12
Cutter & Kicker Rod Layouts 1996–Present 16
Optional C Shank Layout w/belly shanks (8-22 & 8-30)..... 20
Optional C-Shank Layout w/belly shanks (8-30 & 12-22) 21
12 row 30 Shank Layout (C-Shanks) 2005-Present 22
Hydraulic Systems 1995–Present..... 24